
PROFILE COLLECTION FOR WALL/FLOOR

STAIRCASE/EDGE LVT/DESIGN COVERINGS


























PROFILE COLLECTION FOR WALL/FLOOR/STAIRWELL LVT / DESIGN COVERINGS

Design surfacing is now a topical issue Things that looked outdated yesterday can now get a shiny, new decorative appearance thanks to ultra-modern surfacing technology. Low surfacing heights provide major advantages, but they also pose big challenges regarding appropriate profile design for such heights, as each esign surfacing has an end or an edge that needs to be sealed.











Step	APPLICA Transition	ATION End	Pedestal	for Surfacing mm	ltem	Material	Reference	Page
г		V	~	universal	ADAPT Vario, wall/floor connection	ALU	ADVAC / ADVAE	5
	/	V		3 -10	CLIPPER Carpet	ALU	CC	7,9
г	✓	~		6 - 20	CLIPPER Profile System	ALU	T / E / F / B	9
			~	universal	CONSTRUCT PT	ALU	САЕРТ	14
г			~	universal	CONSTRUCT skirting	ALU / stainless steel	CAE / CAEC / CE	14
~				4.5	DIAMONDSTEP	ALU	DISTAE 45	11
~				universal	DIAMONDTRED safety inserts f. TREDSAFE	PVC	TSI inserts in 17 colours	11, 13
	✓	•		6 -14	DUOFLOOR	ALU	DUFF / DUFE / DUFB	9
ш	•			2 -18	DURAFLEX	various	DFA / DFE / DFM	12
		•		2 - 50	DUROSOL corner profiles	ALU / brass	DSAE / DSE / DSM	5
		v		2 - 30	DUROSOL corner profiles	Stainless steel	DSE / DSEZF	5
	~			1 - 13	EXAKT	ALU	EXAE	9
		~		3.2	LINO connection profile, chamfered	ALU	LAE	9
•				2.5	LINO edging profile	ALU	LAE 35/5	11
			V	universal	LINO round profile	PVC	LXP	12
			~	2	LINO skirting profile	PVC	LWP 30	12
			~	6	LINO skirting profile with wall surfacing border	PVC	LTVP 30	12
	✓	~		5 -12	LP-TRANS end/transition profile	various	LPTE / LPTAE	9
	•			universal	MAXIFLOOR transition profile	ALU	MXAE	7
~				universal	PROTECT staircase step profile	ALU / brass	DST PTAE / PTM	13
		•		5	SOFT edging profile with end part, self-adhesive	PVC	SPT	9
	/			5	SOFT edging profile with transition part, self- adhesive	PVC	SPT	7
~				2.5 - 6	TEKA double edging profile	ALU	TAE TA	10
~				5	TEKA edging profile, short front-edge cover	ALU	TAE	10
~				5	TEKA edging profile, long front-edge cover	ALU	TAE	10
	/			1 - 5	TREDSAFE starting ramp	ALU	DT 027 / DT 028	13
~				universal	TREDSAFE step profiles	ALU	AA	11, 13
/				universal	TREDSAFE Tactile	ALU	AA 132 / AA 140 / AA 231	13
	•			3.5	TWIN double edging profile	ALU	TDAE	7
	V	~		universal	UNIFLOOR Standard	various	UFE / UFF / UFAE / UFM	6, 9

ANGLE SEPARATION PROFILES FLOOR/FLOOR · WALL/WALL FOR DESIGN SURFACING

Much of the modern design surfacing excels due to its low structural height. The DUROSOL angle and separating profiles are available for structural heights from 2 mm and can be used to edge or finish almost any design surfacing. DUROSOL can also be used on a wall as a horizontal surfacing end profile or as a vertical separation profile. ADAPT Vario is used when there is no space for skirting or when the interior design requires slim wall/floor connections.



DUROSOL

Aluminium Brass



Surfacing height $2 \cdot 3 \cdot 4, 5 \cdot 6 \cdot 8 \cdot 9 \cdot 10 \cdot 11 \cdot 12, 5 \cdot 15 \text{ mm}$ Profile lenght__100 cm · 250 cm Surface colours Aluminium, natural Aluminium, anodised \cdot silver \cdot gold_Brass, natural Attachment_adhesive

Surfacing height_6 · 8 · 9 · 10 · 12,5 mm

Profile length 100 cm · 250 cm


Surfacing colours Aluminium, powder-coated

white · beige · black · silver-grey

Attachment adhesive

DUROSOL

Aluminium, powder-coated



DUROSOL

stainless steel



Surfacing height 2 · 3 · 4,5 · 6 · 8 · 9 · 10 · 11 · 12,5 · 15 mm Profile length__100 cm · 250 cm Surface colours__ stainless steel, natural · high-gloss polish Attachment adhesive

Surfacing height $2 \cdot 3 \cdot 4.5 \cdot 6 \cdot 8 \cdot 9 \cdot 10 \cdot 11 \cdot 12.5 \cdot 15 \text{ mm}$

Profile length 250 cm

Surfacing colours__Aluminium, natural

Aluminium, anodised silver · gold

Stainless steel, natural · high-gloss polish

Brass, natural · high-gloss polish

Attachment adhesive



DUROSOL Z-FLEX

ADAPT Vario

Aluminium, anodised

Surfacing height__10 mm Profile length_270 cm

Aluminium anodised silver · champagne · titanium Aluminium powder-coated white

Attachment_self-adhesive



TRANSITION PROFILES FLOOR/FLOOR FOR DESIGN SURFACING

UNOFLOOR, MAXIFLOOR and CLIPPER are covering transition profiles that protect design surfacing of all thickness levels.



UNIFLOOR

Surfacing height_all heights

Profile length_90 · 93 · 100 · 270 mm

Colours_Aluminium, anodised

silver · gold · champagne · bronze

Brass, high gloss · stainless steel, natural

Attachment_screws or adhesive



MAXIFLOOR

Extra broad, particularly flat and elegant – the ideal transition profile for door areas


Surfacing height_all heights

Profile length_90 · 270 cm

Colours_Aluminium, anodised silver · gold · bronze

Wood decor Colour number: 01 · 11 · 41 · 43 · 55

Attachment_screws or adhesive



Surfacing height__7 – 20 mm Profile length__90 · 270 cm

Colours_Aluminium, silver · gold · bronze · champagne · titan Wood decor Colour number:

 $01 \cdot 11 \cdot 40 \cdot 41 \cdot 42 \cdot 43 \cdot 48 \cdot 51 \cdot 55 \cdot 56$

Attachment screwless clip system



CLIPPER

Floor profile system for variable surfacing heights up to 20 mm.



EXAKT

The EXAKT, SOFT and TWIN
edging profiles fit around the surfacing and
permanently secure any surfacing transition.

EXAKT edging profile
Surfacing height__1 - 13 mm
(depending on the incline/
compression)
Profile length__90 · 270 cm
Colours__Aluminium anodised
silver · gold · bronze
Attachment__screws



SOFT edging profile Surfacing height_5 mm Profile length_90 cm Colours_

PVC black · brown · grey

Attachment__self-adhesive

TWIN edging profile
Surfacing height__3.5 mm
Profile length__270 cm
Colours__Aluminium natural
Aluminium anodised silver
gold · champagne · bronze
Attachment__screws

CLIPPER



HEIGHT COMPENSATION PROFILES FLOOR/FLOOR FOR DESIGN SURFACING



Height compensation problems are common when designer surfacing is used. The differences must either be compensated for by adjusting the foundation or by using surfacing material with a different thickness. The sturdy and variable height adjusters CLIPPER, UNIFLOOR, LINO, LP-TRANS and DUOFLOOR ensure that this can always be done with a high level of design quality and safety. The EXAKT and SOFT profile systems are additionally equipped with an edging strap that encloses the surfacing edge along the whole length of the profile.



CLIPPER CARPET

Attachment clip system

Surfacing height_3 – 10 mm
Profile length_90 \cdot 270 cm
Colours_Aluminium, silver \cdot gold \cdot bronze \cdot champagne \cdot titan
Wood decor Colour No. 90 \cdot 91 \cdot 92 \cdot 93 \cdot 94 \cdot 95 \cdot 96



UNIFLOOR

Surfacing height_variable

Profile length_90 · 93 · 100 · 270 cm

Colours_Aluminium anodised

silver · gold · champagne · bronze

brass · brass-plated steel · stainless steel

Attachment adhesive or screws



LINO

Screw-fastened
height compensation
profile for particularly
thin surfacing


Surfacing height_3.2 mm
Profile length_270 cm
Colours_Aluminium
anodised silver · gold · bronze
Attachment_screws



LP-TRANS

Self-adhesive height compensation profile for chamfered transitions.

Also available as an elegant stainless steel profile.



Surfacing height_5 – 10 mm

Profile length_90 · 270 cm

Colours_Aluminium

anodised silver · gold

Brass, natural · stainless steel

Attachment_self-adhesive

DUOFLOOR

Screw-fastened height compensation profile fully made of aluminium.

Surfacing height_6 – 14 mm

Profile length_90 · 270 cm

Colours_Aluminium

anodised

silver · gold · bronze

champagne · titan

Attachment_screws





EXAKT edging profile

Surfacing height_1 - 13 mm
(depending on the incline/
compression)

Profile length_90 · 270 cm


Colours_Aluminium
anodised silver · gold · bronze

Attachment_screws



SOFT edging profile
Surfacing height_5 mm
Profile length_90 cm
Colours_
black · brown · grey
Attachment_self-adhesive

STAIRCASE STEP PROFILE STEP/STAIRCASE/EDGE FOR DESIGN SURFACING



TEKA edging profile
Surfacing height__
2,5 · 3,5 · 5 · 6 mm
Profile length__300 cm
Colours__Aluminium
silver anodised
Attachment screws

Modern design surfacing does not provide grip on the step.

However, this is not a problem when TEKA edging profiles
with one-sided or double-sided edge protection grooves
are used. The massive aluminium profiles look attractive
and have slip-reducing properties.



DIAMOND STEP


TEKA edging profile
Surfacing height_5 mm
Profile length_270 cm
Colours_Aluminium
anodised silver · gold · bronze
Attachment_screws

Also available with a front



TEKA

Even thinner, even finer and also safer -LINO made of solid aluminium turns a plain design edge into a safe design edge.




LINO edging profile Surfacing height__2.5 mm Profile length_270 cm Colours Aluminium, anodised silver \cdot gold \cdot bronze adhesive or screws

Design requires the freedom to combine options and this is made possible by the DIAMONDTRED and TREDSAFE stairwell step profiles.

They are based on the DIAMONDTRED exchangeable safety insert. Benefit from these unbeatable advantages in your next staircase project with design surfacing:


- > High slip resistance when dry or wet R10/V6
- > 360 ° slip protection due to the unique micro-structure
- > Deformation- and tension-resistant.

You can also install DIAMONDTRED without a profile.




DIAMONDTRED Surfacing height__3mm 250 cm / roll 25 m Colours_see Page 15

self-adhesive



TREDSAFE Surfacing height_all heights Profile length 250 cm Colour Aluminium, anodised silver Attachment screws or silicon adhesive




DIAMOND STEP

Surfacing height 4.5 mm Profile length__150 · 250 cm Colour__Aluminium anodised silver Attachment_screws



TREDSAFE is provided in many profile variations for a multitude of staircase geometries.




DIAMONDSTEP covers ugly cutting edges and its surfacing height of 4.5 mm fits most design surfacing solutions. The crisp, elegant aluminium edge enhances any staircase and the DIAMONDTRED insert is available in matching or complementary colours.

WALL CONNECTING/ EXPANSION JOINT PROFILES FOR DESIGN SURFACING

LINO skirting profile

Surfacing height_2 mm
Connecting radius_flexible
Profile lenght_200 cm
Colour_PVC white · grey
Attachment_adhesive



LINO wall connection profiles round off every wall/floor corner, making it easier to clean, more sterile and permanently safe. DURAFLEX interrupts the design surfacing where the foundation requires it or where tension in the surfacing must be absorbed. This is available from as little as 2 mm material thickness.

LINO round profile

Surfacing height_all
Connecting radius_
32/38 mm
Profile lenght_200 cm
Colour_PVC black
Attachment_adhesive



DURAFLEX

Surfacing height__ 2·3·4,56·8·10·12,5·15 16,5·18 mm Profile length__250 cm Colours__Aluminium stainless steel·brass Attachment adhesive







SAFETY PROFILES FLOOR/STAIRCASE FLOOR DECL

FOR DESIGN SURFACING

PROTECT corner profiles
with grip make any edge
safe to step on. A large
variety of colours and wood
decors make all edges
look good.

PROTECT

Surfacing height_all heights


Profile length_90 · 100 · 270 cm

Colour_Aluminium, anodised silver · gold · bronze

Brass, high-gloss polish

Wood decor 01 · 11 · 41 · 43 · 51 · 52 · 53 · 55 · 56

Attachment adhesive or screws





TREDSAFE AA 132

Surfacing height_all
Profile height_3 mm
Profile length_250 · 300 cm
DIAMONDTRED insert_
1 x 13 mm
Colour_Aluminium, silver
Attachment_

TREDSAFE AA 132 and AA 140 tactile safety profiles to enable you to feel the steps. Ideal for retrofitting. Starting ramp going down to zero level.

TREDSAFE DT 027 and DT 028 are edging profiles that accept surfacing edges 2 or 5 mm thick.



TREDSAFE AA 027

adhesive or screws

Edging profile
Surfacing height_2/0 mm
Profile length_250 cm
DIAMONDTRED insert_
1 x 13 mm
Colour_Aluminium, silver
Attachment adhesive

TREDSAFE AA 028

Edging profile
Surfacing height_5/0 mm
Profile length_250 cm
DIAMONDTRED insert_
1 x 13 mm
Colour_Aluminium, silver
Attachment adhesive





TREDSAFE AA 231

Surfacing height_all
Profile height_4 mm
Profile length_250 · 300 cm
DIAMONDTRED insert_
2 x 13 mm
Colour_Aluminium, silver
Attachment_
adhesive or screws

TREDSAFE AA 140

Surfacing height_all
Profile height_4 mm
Profile length_250 · 300 cm
DIAMONDTRED insert_
1 x 13 mm
Colour_Aluminium, silver
Attachment_
adhesive or screws



People with visual impairments fear staircases. TREDSAFE profiles positioned at the start and the end of the staircase as well as the surface before the first step take this fear away as they allow tactile recognition of the staircase (visually detectable). The DIAMONDTRED safety insert provides the grip and the contrasting colour. It is available in 17 different colours.



DIAMONDTRED

Surfacing height_3 mm
Profile lenght_
250 cm / roll 25 m
Colours__see Page 15
Attachment__
self-adhesive

SKIRTING BOARDS

ALUMINIUM/STAINLESS STEEL

CABLE CHANNEL

FOR DESIGN SURFACING

CONSTRUCT PT

Profile length 220 · 250 cm Profile height 105 mm

PVC/Aluminium, anodised Attachment_screws

Modular skirting board also suited for retrofitting of a busbar.





CONSTRUCT

stainless steel

Profile length 270 cm Profile height__60 · 80mm Colours_stainless steel high-gloss Attachment adhesive



Profile length_250 cm Profile height 70 mm

Colours Aluminium

anodised silver

Inside and outside corner connector · end caps

with wall bracket







DURAL is a comprehensive provider of floor-level shower systems, profiles and matting systems for walls and floors



Junction, edging, decorative **Cover and junction Shower systems** Skirting and divider profiles Drainage channel systems profiles Point drainage systems Balcony edging profiles **Doormat systems** Stair-edge Movement joint Matting systems for **Profile systems** profiles profiles decoupling, sealing, for parquet, laminate drainage, footfall sound and carpeted floors and thermal insulation With kind regards: DURAL GMBH & CO. KG Südring 11 D-56412 Ruppach-Goldhausen Tel. +49[0]2602/9261-0

structhangesitriproduct teachniology and idesign and design changes.

Fax +49[0]2602/9261-50

01.14 Item No.: 46000251

info@dural.com www.dural.com